www.himedialabs.com

Safety data sheet(SDS)

According to Regulation (EC) No.1907/2006 Revision : 00003

Date of Revision : 03.03.2022

# 1 Identification of the substances/ mixture and of the company/ undertaking

1.1	Product Identifiers		
	Product Number	M1537	
	Product Name	Mannitol Selenite Broth w/ Brilliant Gree	n (Twin Pack)
	<b>REACH Registration Number</b>	This product is a mixture. Reach registrat	ion number is not available for
		this mixture.	
1.2	Relevant identified uses of the substance or mixture and uses advised against		
1.2.1	Relevant identified uses	Laboratory Chemicals, Analytical Purpose,	, Biochemical Analysis
		For InVitro Diagnostic Use	
1.3	Details of the supplier of th	the safety data sheet	
	Produced by	HiMedia Laboratories Private Limited	
	Address	C - 40,Road No.21Y,MIDC, Wagle Industri	al Area, Thane(W), - 400 604, India
	Tel. No.	+91-22- 6147 1919/6116 9797	Fax No. : +91-22- 61471920
	Mail Id	info@himedialabs.com	Website : www.himedialabs.com
1.4	Emergency Tel. No.		
	Emergency Tel. No.	Please contact the regional HiMedia repr	esentation in your country

## 2 Hazards Identification

# 2.1 Classification of the substance or mixture *CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP]*

Acute toxicity, Oral, (Category 3), H301 Acute toxicity, Inhaled, (Category 3), H331 Specific target organ toxicity, repeated exposure, (Category 2), H373 Hazardous to the aquatic environment, long term hazard, (Category 1), H410

# 2.2 Label elements

# Labeling according to Regulation (EC) No.1272/2008



Pictogram Signal word Danger

Hazard Statement(s)

H301 Toxic if swallowed

- H331 Toxic if inhaled
- H373 May cause damage to organs through prolonged or repeated exposure
- H410 Very toxic to aquatic life with long lasting effects

Precautionary Statement(s)

P309+P310	If exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.
P304 + P340	IF INHALED: Remove victim to fresh air and Keep at rest in a position comfortable for breathing.
P273	Avoid release to the environment.

# 2.3 Other Hazards None

## 3 Composition/Information On Ingredients

### 3.2 Mixture

Сог	mponent	Classification	Concentration
Sodium hydroge	n selenite (Part B)		
CAS No. :	7782-82-3	As Per EC Regulation 1272/2008	>=90.0 - <=100%
EC No. :	231-966-3	Acute Tox.oral. 3; Acute Tox. inhal. 3;	
Index-No :	034-002-00-8	STOT RE 2; Aquatic Chronic 1 H301;	
		H331; H373; H410	

Сог	nponent	Classification	Concentration
Brilliant green			
CAS No. :	633-03-4	As Per EC Regulation 1272/2008	>=0.01 - <=0.1%
EC No. :	211-190-1	Acute Tox.oral 4; Eye Irrit. 2A H302; H319	

Refer Section 16 for complete statement of H codes and its classification

## 4 First Aid Measures

# 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash with plenty of soap and water. Consult a physician.

#### In case of eye contact

Rinse immediately with plenty of water for at least 15 minutes. Consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# **4.2 Most important symptoms and effects, both acute and delayed** No data available.

#### 4.3 Indication of immediate medical attention and special treatment needed

No data available

5 5.1 5.2 5.3 5.4	Fire Fighting Measures Extinguishing media Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Unsuitable extinguishing media No data available. Special hazards arising from the substance or mixture Carbon oxides, Sodium oxides, Selenium oxides, Oxides of phosphorus, Potassium oxides Precautions for fire-fighters Wear self contained breathing apparatus for fire fighting if necessary Further information No data available
6	Accidental Release Measures
6.1	Personal precautions, protective equipment and emergency procedures
	Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.
6.2	Evacuate personnel to safe areas. Environmental precautions
0.2	Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
6.3	Methods and materials for containment and cleaning up
	Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.
6.4	Reference to other sections
	For disposal see Section 13.
7	Handling and Storage
7.1	Precautions for safe handling
	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for
7.2	preventive fire protection. Conditions for safe storage, including any incompatibilities
/.2	Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which
	are opened must be carefully resealed and kept upright to prevent leakage.
	Recommended Storage Temperature : On receipt store between 10-30°C
7.3	Specific end uses
	Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.
8	Exposure Controls/Personal Protection
8.1	Control parameters
	Components with workplace control parameters
8.2	Exposure controls
	Appropriate engineering controls
	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the products.
	Page <b>3</b> of <b>8</b>

#### Personal protective equipment

#### Hygiene measure

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with the product.

#### Eye/face protection

Tightly fitting saftey goggles; Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). *Skin protection* 

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425/EEC and the standard EN ISO 374-1/2016 derived from it.

#### **Body protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Environment exposure controls

Do not empty into drains.

#### 9 Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	Part A : Cream to pale green homogeneous
	free flowing powder
	Part B : White to cream homogeneous free
	flowing powder
Odour	No data available
Odour Threshold	No data available
рН	6.80 - 7.20
Melting/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Flammability (Solid, gas)	No data available
Vapour pressure	No data available
Relative density	No data available
Water Solubility	No data available
Partition coefficient: n-octanol/water	No data available
Autoignition Temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Vapour density	No data available
Thermal decomposition	No data available

# 9.2 Other safety information

No data available

# 10 Stability and Reactivity

10.1 Reactivity

- No data available
- **10.2 Chemical stability** No data available
- 10.3 Possibility of hazardous reactions
- No data available 10.4 Conditions to avoid No data available
- **10.5** Incompatible materials Strong oxidizing agents
- **10.6 Hazardous decomposition products** Refer Section 5.2

## 11 Toxicological Information

 11.1 Information on toxicological effects Acute toxicity No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available

## Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. *Reproductive toxicity* No data available

Specific target organ toxicity- single exposure No data available

Aspiration hazard No data available Potential Health Effects Inhalation REFER SECTION 2 Skin REFER SECTION 2 Eyes REFER SECTION 2 Ingestion REFER SECTION 2 *Additional Information* RTECS : No data available

#### 11.2 Components

Sodium Hydrogen Selenite (Sodium Biselenite) Acute oral toxicity LD50 Rat: 2.5 mg/kg (As per RTECS) LD50 Rabbit: 8.6 mg/kg (As per RTECS) Acute dermal toxicity No data available Acute inhalation toxicity Toxic if inhaled Specific Target Organ Toxicity-Single exposure No data available Specific Target Organ Toxicity - Repeated exposure May cause damage to organs through prolonged and repeated exposures. Effects Respiratory system, lungs, Skin, central nervous system Central vascular system, Gastrointestinal tract.

#### Additional information

RTECS number: VS7500000

#### **Brilliant Green**

Acute oral toxicity Rat LD50:410 mg/kg. Subacute to chronic toxicity Target organs: respiratory system,gastrointestinal,eyes and skin. Acute inhalation toxicity Symptoms:Possible damages:, mucosal irritations Acute Dermal toxicity No Data Available Skin irritation Rabbit Result: slight irritation Eye irritation Rabbit Result: Eye irritation Causes serious eye irritation. Sensitisation No Data Available

Additional Information:

RTECS: BP6825000

#### 12 Ecological Information

12.1	Toxicity		
12.1	No data available		
	Components:		
	Sodium Hydrogen Selenite (Sodium Biselenite)		
	Toxicity to fish		
	Oncorhyncus mykiss (rainbow trout)LC50: 8.1 mg/l; 96h		
	Toxicity to Daphnia		
	Daphnia magna (Water flea)EC50: 7.9 mg/l; 48h		
	Toxicity to Algae		
	Pseudokirchneriella subcapitata(green algae)IC50:96.6 mg/l;72h		
12.2	Persistence and degradability		
	No data available		
12.3	Bioaccumulative potential		
	No data available		
12.4	Mobility in soil		
	No data available		
12.5	PBT and vPvB assessment		
42.6	No data available		
12.6	Other adverse effects		
	No data available		
13	Disposal Considerations		
13.1	Waste treatments methods		
	Product Offer surplus and non-recyclable solutions to a licenced disposal company. Contact a licenced		
13.2	professional waste disposal service to dispose off this material.		
13.2			
	Dispose of as unused product.		
•			
14	Transport Information		
14.1	UN-No		
	ADNR:2630 ADR:2630 IATA_C:2630 IATA_P:2630 IMDG:2630 RID:2630		
14.2	UN proper shipping name		
	ADNR : Selenate or Selenite		
	ADR : Selenate or Selenite		
	IATA_C : Selenate or Selenite		
	IATA_P : Selenate or Selenite		
	IMDG : Selenate or Selenite		
	RID : Selenate or Selenite		
14.3	Transport hazard class(es) ADNR : 6.1 ADR : 6.1 IATA_C : 6.1 IATA_P : 6.1 IMDG : 6.1 RID : 6.1		
14.4	Packaging group		
	ADNR : I ADR : I IATA_C : I IATA_P : I IMDG : I RID : I		

Page **7** of **8** 

14.5 14.6	Environmental hazards ADNR : no ADR : no IMDG : Marine pollutant No IATA_C : no IATA_P : no RID : no Special precautions for use No data available		
15 15.1 15.2	Regulatory Information This safety datasheet complies with the requirements of Regulation(EC) No. 1907/2006. Safety health and environment regulations/legislation specific for the substance or mixture No data available Chemical Safety Assessment No data available		
16	Other information Text of H codes and classifica H301 H302 H319 H331 H373 H410 Acute Tox. inhal. 3 Acute Tox.oral 4 Acute Tox.oral. 3 Aquatic Chronic 1 Eye Irrit. 2A STOT RE 2	tion mentioned in section 3 Toxic if swallowed Harmful if swallowed Causes serious eye irritation Toxic if inhaled May cause damage to organs through prolonged or repeated exposure Very toxic to aquatic life with long lasting effects Acute toxicity, inhaled, Category 3 Acute toxicity, oral, Category 4 Acute toxicity, oral, Category 3 Hazardous to the aquatic environment, long term hazard, Category 1 Serious eye damage or eye irritation, Category 2A Specific target organ toxicity, repeated exposure, Category 2	

# **Further Information**

Copyright 2016 HiMedia Laboratories Pvt. Ltd.

The information given in this safety data sheet is believed to be correct yet does not claim to be all inclusive. This document is intended only as a guide for appropriate precautionary handling of the material by properly trained individuals, information here being commensurate with the present state of our knowledge regarding the manner and conditions of use, handling, storage or disposal. The information provided herein shall not be considered as guarantee of the properties of the product. HiMedia Laboratories, shall not be held liable for any damage resulting from improper handling or contact with the above product. Unless explicitly stated on the product or in any of the documentation accompanying the product, it is intended for research or testing purpose only and is not to be used for any other purpose.