www.himedialabs.com Safety data sheet(SDS) According to Regulation (EC) No.1907/2006 Revision : 00002 Date of Revision : 17.02.2022 1 Identification of the substances/ mixture and of the company/ undertaking 1.1 **Product Identifiers** Product Number M410 Product Name WL Differential Broth REACH Registration Number This product is a mixture. Reach registration number is not available for this mixture. Relevant identified uses of the substance or mixture and uses advised against 1.2 Relevant identified uses 1.2.1 Laboratory Chemicals, Analytical Purpose, Biochemical Analysis Details of the supplier of the safety data sheet 1.3 Produced by HiMedia Laboratories Private Limited Address C - 40,Road No.21Y,MIDC, Wagle Industrial Area, Thane(W), - 400 604, India Tel. No. +91-22-6147 1919/6116 9797 Fax No. : +91-22-61471920 Mail Id info@himedialabs.com Website : www.himedialabs.com 1.4 **Emergency Tel. No.** Emergency Tel. No. Please contact the regional HiMedia representation in your country

2 Hazards Identification

2.1 Classification of the substance or mixture CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP]

Not a hazardous substance or mixture according to Regulation (EC) No.1272/2008.

2.2 Label elements Labeling according to Regulation (EC) No.1272/2008

2.3 Other Hazards

None

3 Composition/Information On Ingredients

3.2 Mixture

Сог	mponent	Classification	Concentration
Calcium chloride, anhydrous			
CAS No. :	10043-52-4	As Per EC Regulation 1272/2008	>=0.1 - <=1.0%
EC No. :	233-140-8	Eye Irrit. 2A H319	

Component	Classification	Concentration
Ferric chloride		

Page **1** of **10**

CAS No. :	7705-08-0	As Per EC Regulation 1272/2008	>=0.001 -
EC No. :	231-729-4	Met. Corr. 1; Acute Tox.oral 4; Skin Irrit. 2; Eye Dam. 1 H290; H302; H315;	<=0.01%
		H318	

Component		Classification	Concentration
Manganese sulp	ohate		
CAS No. :	7785-87-7	As Per EC Regulation 1272/2008	>=0.001 -
EC No. :	232-089-9	STOT RE 2; Aquatic Chronic 2 H373; H411	<=0.01%

Component		Classification	Concentration
Actidione (Cycle	oheximide)		
CAS No. :	66-81-9	As Per EC Regulation 1272/2008	>=0.001 -
EC No. :	200-636-0	Acute Tox. oral. 1; Skin Irrit. 2; Muta. 2;	<=0.01%
Index-No :	613-140-00-8	Repr. 1B; Aquatic Chronic 2 H300;	
		H315; H341; H360D; H411	

Refer Section 16 for complete statement of H codes and its classification

4 First Aid Measures

4.1

Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse immediately with plenty of water for at least 15 minutes. Consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed No data available.

4.3 Indication of immediate medical attention and special treatment needed No data available

5 Fire Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Unsuitable extinguishing media No data available.

Page **2** of **10**

5.2 5.3	Special hazards arising from the substance or mixture Carbon oxides, nitrogen oxides (NOx), Potassium oxides, Oxides of phosphorus, Calcium oxide, Magnesium oxide, Iron oxides, Manganese/manganese oxides Precautions for fire-fighters
5.4	Wear self contained breathing apparatus for fire fighting if necessary Further information No data available
6	Accidental Release Measures
6.1	Personal precautions, protective equipment and emergency procedures Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.
6.2	Environmental precautions Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
6.3	Methods and materials for containment and cleaning up
	Soak up with inert adsorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
6.4	Reference to other sections For disposal see Section 13.
7	Handling and Storage
, 7.1	Precautions for safe handling
	Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Normal measures for preventive fire protection.
7.2	Conditions for safe storage, including any incompatibilities Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
	Recommended Storage Temperature : On receipt store between 10-30°C
7.3	Specific end uses Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.
8	Exposure Controls/Personal Protection
8.1	Control parameters Components with workplace control parameters
8.2	Exposure controls
	Appropriate engineering controls
	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the products.
	Personal protective equipment
	Hygiene measure
	Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with the product.
	<i>Eye/face protection</i> Tightly fitting saftey goggles; Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU).
	Page 3 of 10

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 2016/425/EEC and the standard EN ISO 374-1/2016 derived from it.

Body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. *Respiratory protection*

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environment exposure controls

Do not empty into drains.

9 Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
 - Appearance
 - Odour **Odour Threshold** рΗ Melting/freezing point Initial boiling point and boiling range Flash point Flammability (Solid, gas) Vapour pressure Relative density Water Solubility Partition coefficient: n-octanol/water Autoignition Temperature Viscosity **Explosive properties Oxidizing properties** Vapour density Thermal decomposition

Light yellow to light green coloured homogeneous free flowing powder No data available No data available 5.30 - 5.70 No data available No data available

No data available

9.2 Other safety information

No data available

10 Stability and Reactivity

- 10.1 Reactivity
- No data available
- 10.2 Chemical stability

Page **4** of **10**

No data available

- **10.3 Possibility of hazardous reactions** No data available
- **10.4** Conditions to avoid No data available
- **10.5** Incompatible materials No data available
- **10.6 Hazardous decomposition products** Refer Section 5.2

11 Toxicological Information

11.1 Information on toxicological effects Acute toxicity No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available Specific target organ toxicity- single exposure No data available

Aspiration hazard

No data available **Potential Health Effects Inhalation** REFER SECTION 2 **Skin** REFER SECTION 2 **Eyes** REFER SECTION 2 **Ingestion** REFER SECTION 2

11.2 Components

Calcium chloride Acute oral toxicity

Page 5 of 10

Rat LD50 : 1,000 mg/kg (As per IUCLID) Acute dermal toxicity Rat LD50 : 2,630 mg/kg (As per IUCLID) Skin irritation Rabbit Result : No irritation (As per OECD Test Guideline 404) Eye irritation Rabbit Result: Eye irritation (As per OECD Test Guideline 405) Causes serious eye irritation. **Additional Information** RTECS: EV9800000

Ferric chloride

Acute oral toxicity Rat LD50: 3,200mg/kg (As per OECD Guideline 401) Acute inhalation toxicity No data available Acute dermal toxicity Rabbit LD50: > 559mg/kg (As per EPA OPP 81-2) Skin irritation Rabbit Result: Non Irritant(As per OECD Guideline 404) Eye irritation Rabbit Result: Irreversible effects on the eye (ECHA) Sensitisation Guinea pig Result: Not sensitising Genetic toxicity(in-vitro) Mammalian cell gene mutation assay Mouse lymphoma cells Result : Negative Genetic toxicity(in-vivo) Mouse Result: Positive (ECHA) Carcinogenicity No data available **Toxicity to Reproduction** No data available Teratogenicity No data available

Additional information:

RTECS: LJ9100000

Manganese sulphate

Page 6 of 10

Acute oral toxicity Rat LD50 :2,150 mg/kg (As per IUCLID) Acute Dermal Toxicity Rat LD50: Not determined. Acute Inhalation Toxicity Rat LC50 : > 4.45 mg/l (As per OECD Test Guideline 403) Additional Information RTECS: OP1050000

Cycloheximide

Acute Toxicity LD50 Oral rat:2mg/kg Skin Corroison/Irritation Skin-rabbit Result -Skin irritation-24 h Germ cell mutagenicity Lab experiments have shown mutagenic effects Invitro tests showed mutagenic effects Reproductive toxicity May casue congenital malformation in the fetus. Presumed human reproductive toxicant. Liver-irregularities-Based on human Evidence

Additional Information

RTECS : MA4375000

Chloramphenicol

Acute Toxicity LD50 Oral rat:2.500 mg/kg LD50 Intraperitoneal rat:1.811 mg/kg LD50Intraperitoneal mouse:1.100 mg/kg Respiratory or skin sensitization Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals Germ cell mutagenicity Lab experiments have shown mutagenic effects Possible human carcinogen IARC: Group 2A Probably carcinogenic to humans (Chloramphenicol) Reproductive toxicity May casue congenital malformation in the fetus. Presumed human reproductive toxicant. Liver-irregularities-Based on human Evidence

A Dose of about 1 gram can cause : Nausea, burning sensation, sores in the mouth, lesions of the :Throat., sores in

Page **7** of **10**

the digestive tract, Tremors, convulsions Shock ., Death may result from ingestion of two to five grams., Prolonged or repeted expose may cause :, Increased :, bone density, calcium deposits in the ligaments, new bone growth, vomiting , diarrhea, abdominal pain, To the best of our Knowledge , the chemical ,Physical and toxicological

propertis have not been thoroughly investigated.

Additional Information

RTECS : AB6825000

12 Ecological Information

12.1 Toxicity

No data available **Components Calcium chloride** *Toxicity to fish* Lepomis macrochirus (Bluegill sunfish) LC50 : 10,650 mg/l; 96 h (As per IUCLID) *Toxicity to daphnia and other aquatic invertebrates* Daphnia magna (Water flea) EC50 : 144 mg/l; 48 h (As per IUCLID) *Toxicity to algae* AlgaeIC50 : 3,130 mg/l; 120 h (As per IUCLID)

Components:

Ferric chloride Toxicity to microorganisms Activated sludge IC50: ca. 170 mg/L (ECHA) Components Manganese sulphate Toxicity to Fish Onchorhynchus mykiss (Rainbow trout) LC50 :14.5 mg/l; 96h. Pimephales promelas (fathead minnow) LC50 : 30.6 mg/l; 96 h. Toxicity to daphnia and other aquatic invertebrates Daphnia magna (Water flea) EC50 : 8.3 mg/l; 48 h. Acute Toxicity to Aquatic Plants Desmodesmus subspicatus (algae) EC50 61 mg/l; 72 h (As per OECD Test Guideline 201)

- **12.2** Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available

Page 8 of 10

12.4	Mobility in soil
	No data available
12.5	PBT and vPvB assessment
	This substance or mixture contains no components considered to be persistent, bioaccumulating nor
	toxic (PBT) at levels of 0.1% or higher.
12.6	Other adverse effects
	No data available
13	Disposal Considerations
13.1	Waste treatments methods
	Product
	Offer surplus and non- recyclable solutions to a licenced company. Contact a licenced professional
	waste disposal service to dispose off this material.
13.2	Contaminated packaging
	Dispose of as unused product.
14	Transport Information
14.1	UN-No
	ADNR : ADR : IATA_C : IATA_P : IMDG : RID :
14.2	UN proper shipping name
	ADNR : Not dangerous goods
	ADR : Not dangerous goods
	IATA_C : Not dangerous goods
	IATA_P : Not dangerous goods
	IMDG : Not dangerous goods
	RID : Not dangerous goods
14.3	Transport hazard class(es) ADNR : - ADR : - IATA_C : - IATA_P : - IMDG : - RID : -
14.4	Packaging group
	ADNR : ADR : IATA_C : IATA_P : IMDG : RID :
14.5	Environmental hazards
	ADNR : No ADR : No IMDG : Marine Pollutant No IATA_C : No IATA_P : No RID : No
14.6	Special precautions for use No data available
15	Regulatory Information
	This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006
15.1	Safety health and environment regulations/legislation specific for the substance or
	mixture
	No data available
15.2	Chemical Safety Assessment
	No data available

Page **9** of **10**

16 Other information

H290	May be corrosive to metals
H300	Fatal if swallowed
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H341	Suspected of causing genetic defects
H360D	May damage the unborn child
H373	May cause damage to organs through prolonged or repeated
	exposure
H411	Toxic to aquatic life with long lasting effects
Acute Tox. oral. 1	Acute toxicity, oral, Category 1
Acute Tox.oral 4	Acute toxicity, oral, Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment, long term hazard, Category 2
Eye Dam. 1	Serious eye damage or eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage or eye irritation, Category 2A
Met. Corr. 1	Corrosive to metals, Category 1
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Irrit. 2	Skin corrosion or irritation, Category 2
STOT RE 2	Specific target organ toxicity, repeated exposure, Category 2

Further Information

Copyright 2016 HiMedia Laboratories Pvt. Ltd.

The information given in this safety data sheet is believed to be correct yet does not claim to be all inclusive. This document is intended only as a guide for appropriate precautionary handling of the material by properly trained individuals, information here being commensurate with the present state of our knowledge regarding the manner and conditions of use, handling, storage or disposal. The information provided herein shall not be considered as guarantee of the properties of the product. HiMedia Laboratories, shall not be held liable for any damage resulting from improper handling or contact with the above product. Unless explicitly stated on the product or in any of the documentation accompanying the product, it is intended for research or testing purpose only and is not to be used for any other purpose.

Page **10** of **10**