		www.himedialabs.com
		Safety data sheet(SDS)
		According to Regulation (EC) No.1907/2006
		Revision : 00000
		Date of Revision : 27.12.2016
1	Identification of the substa	nces/ mixture and of the company/ undertaking
1.1	Product Identifiers	
	Product Number	PT022
	Product Name	Murashige & Skoog Shoot Multiplication Medium A
		w/ CaCl <sub>2</sub> , Vitamins, Sucrose, IAA, adenine
		sulphate & 2ip;
	DEACH Desistration Number	w/o Agar
	REACH Registration Number	Reach registration number is not available for this mixture. According to REACH regulation EC 1907/2006 this product is exempted from
		registration. The annual tonnage does not require a REACH registration
1.2	Delevent identified uses of	or it is envisaged for a later registration deadline. the substance or mixture and uses advised against
1.2	Relevant identified uses of	Laboratory chemicals, Manufacture of substances
1.2.2	Uses advised against	No data available
1.3	Details of the supplier of th	e safety data sheet
	Produced by	HiMedia Laboratories Private Limited
	Address	23, Vadhani Industrial Estate, LBS Marg, Ghatkopar (W), Mumbai - 400 086
		India
	Tel. No.	+91-22-2500 0970, +91-22-2500 1607 Fax No.
1.4	Mail Id Emorgoney Tol. No.	ptc@himedialabs.com Website : www.himedialabs.com
1.4	Emergency Tel. No. Emergency Tel. No.	Please contact the regional HiMedia representation in your country
		reuse contact the regional mineria representation in your country
2	Hazards Identification	
2.1	Classification of the substan	nce or mixture on (EC) No. 1272/2008[EU-GHS/CLP]
		or mixture according to Regulation (EC) No.1272/2008.
	Label elements	
2.2	Labeling according to Regu	lation (EC) No 1272/2008
	Lubening decording to negu	
	Signal word None	
2.3	Other Hazards	
2.5		tains no components considered to be either persistent, bioaccumulative
	and toxic (PBT), or very pers	istent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
3	Composition Information	On Ingradiants
	Composition/Information	
3.2	Mixture	

Page **1** of **8** 

Co	mponent	Classification	Concentration
Potassium nitrat	e		
CAS No. :	7757-79-1	As Per EC Regulation 1272/2008	>=4 - <=7%
EC No. :	231-818-8	Ox. Sol. 3 H272	

Со	mponent	Classification	Concentration
Ammonium nitr	ate		
CAS No. :	6484-52-2	As Per EC Regulation 1272/2008	>=4 - <=6%
EC No. :	229-347-8	Ox. Sol. 2; Skin Irrit. 2; Eye Irrit. 2A;	
		STOT SE 3 H272; H315; H319; H335	
		As Per EC Directive 67/548/EEC or	
		1999/45/EC	
		O (gas); Xi R8; R36/37/38	

Co	omponent	Classification	Concentration
Calcium chlorid	le,anhydrous		
CAS No. :	10043-52-4	As Per EC Regulation 1272/2008	>=0.8 - <=1.0%
EC No. :	233-140-8	Eye Irrit. 2A H319	

Сог	mponent	Classification	Concentration
Manganese sulpl	hate		
CAS No. :	10034-96-5	As Per EC Regulation 1272/2008	>=0.04 - <=0.06%
EC No. :	232-089-9	STOT RE 2; Aquatic Chronic 2 H373;	
Index-No :	025-003-00-4	H411	

# 4 First Aid Measures

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse immediately with plenty of water for at least 15 minutes. Consult a physician.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11.

**4.3** Indication of immediate medical attention and special treatment needed No data available

7	Handling and Storage
	For disposal see Section 13.
6.4	disposal. Reference to other sections
	collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for
	Keep in suitable, closed containers for disposal. Sweep up and shovel. Contain spillage, and then collect with an electrically protocted vacuum cloaper or by wet bruching and place in container for
6.3	Methods and materials for containment and cleaning up
	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into environment must be avoided.
6.2	Environmental precautions
	protection see section 8.
	Use personnel protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal
6.1	Personal precautions, protective equipment and emergency procedures
6	Accidental Release Measures
5.4	Further information Wear self-contained breathing apparatus for firefighting if necessary.
	Cool closed containers exposed to fire with water spray.
5.3	Precautions for fire-fighters
	oxides
	oxides, Manganese oxides, Molybdenum oxides, Oxides of Phosphorus, Potassium oxides, Zinc
5.2	Special hazards arising from the substance or mixture Magnesium oxides, Sulphur oxides, Sodium oxides, Iron oxides, Calcium Oxide, Cobalt oxides, Copper
	No data available.
	Unsuitable extinguishing media
	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
	Suitable extinguishing media
5.1	Extinguishing media

Avoid formation of dust and aerosols. Wear protective gloves and eye/face protection. Use only in well ventilated areas. Keep away from heat, sparks and open flame.

# **7.2** Conditions for safe storage, including any incompatibilities Store in cool/well-ventilated place. Storage class (TRGS 510): Oxidizing Solids

Page **3** of **8** 

#### **Recommended Storage Temperature** : 2 - 8°C

#### 7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

#### 8 Exposure Controls/Personal Protection

# 8.1 Control parameters

# 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance to general industrial hygiene and safety practice. Wash hands before breaks, immediately after handling the products and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN 166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). Have eye-washing facilities readily available where eye contact can occur.

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### **Body protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Environment exposure controls

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 9 Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance	White to off-white, homogenous powder
Odour	No data available
Odour Threshold	No data available
рН	3.3 - 4.3
Melting/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Upper/lower flammability or explosive limits	No data available
Evaporation rate	No data available
Flammability (Solid, gas)	No data available
Vapour pressure	No data available
Relative density	No data available

Autoignition Temperature Decomposition Temperature Viscosity Explosive properties Oxidizing properties Vapour density Thermal decomposition No data available No data available

#### 9.2 Other safety information

No data available

10	Stability a	and Reactivity
----	-------------	----------------

# 10.1 Reactivity No data available 10.2 Chemical stability Stable under recommended storage conditions.

- **10.3** Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** No data available
- **10.5** Incompatible materials No data available

#### **10.6** Hazardous decomposition products

Hazardous decomposition products formed under fire conditions - Nitrogen oxides(NOx), Sulphur oxides, Oxides of phosphorus,. Potassium oxides, Magnesium oxide, Cobalt/cobalt oxides, Calcium oxide, Copper oxides

#### 11 Toxicological Information

11.1 Information on toxicological effects Acute toxicity

No data available Remarks : No data available No data available Skin corrosion/irritation No data available Serious eye damage/eye irritation No data available Respiratory or skin sensitisation No data available Germ cell mutagenicity No data available Carcinogenicity IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. Reproductive toxicity No data available

Page 5 of 8

Specific target organ toxicity - repeated exposure No data available Aspiration hazard No data available Additional Information RTECS : Not Applicable

12 Ecological Information

# 12.1 Toxicity

No data available

- **12.2** Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil

No data available

# 12.5 PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating or toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6** Other adverse effects

#### 13 Disposal Considerations

# 13.1 Waste treatments methods

#### Product

Dispose of as unused product.

# **13.2** Contaminated packaging

Burn in a chemical incinerator equipped with an afterburner and srcubber but exert extra care in igniting as this material is highly flammable. Contact a licenced professional waste disposal service to dispose off this material.

#### 14 Transport Information

# 14.1 UN-No

ADNR : ADR : IATA\_C : IATA\_P : IMDG : RID :

# 14.2 UN proper shipping name

- ADNR : Not dangerous goods
- ADR : Not dangerous goods
- IATA\_C : Not dangerous goods
- IATA\_P : Not dangerous goods
- IMDG : Not dangerous goods
- RID : Not dangerous goods

# 14.3 Transport hazard class(es)

ADNR : - ADR : - IATA\_C : - IATA\_P : - IMDG : - RID : -

	Packaging group ADNR : - ADR :	- IATA_C :- IATA_P :- IMDG :- RID :-
4.5	Environmental hazards	rine Pollutant · No. IATA C · No.
.4.6	ADR : NO IMDG : Marine Pollutant : No IATA_C : No Special precautions for use No data available	
.5 .5.1	Regulatory Information This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006 Safety health and environment regulations/legislation specific for the substance or	
	mixture	
5.2	Chemical Safety Assessr For this product a chemi	nent cal safety assessment was not carried out.
.6	Other information	
	H272	May intensify fire; oxidizer
	H315	Causes skin irritation
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation
	H373	May cause damage to organs through prolonged or repeated
	П373	exposure
	H373	
		exposure Toxic to aquatic life with long lasting effects Hazardous to the aquatic environment, long term hazard, Category 2
	H411 Aquatic Chronic 2 Eye Irrit. 2A	exposure Toxic to aquatic life with long lasting effects Hazardous to the aquatic environment, long term hazard, Category 2 Serious eye damage or eye irritation, Category 2A
	H411 Aquatic Chronic 2 Eye Irrit. 2A Ox. Sol. 3	exposure Toxic to aquatic life with long lasting effects Hazardous to the aquatic environment, long term hazard, Category 2 Serious eye damage or eye irritation, Category 2A Oxidising solids, Category 3
	H411 Aquatic Chronic 2 Eye Irrit. 2A Ox. Sol. 3 Skin Irrit. 2 STOT	exposure Toxic to aquatic life with long lasting effects Hazardous to the aquatic environment, long term hazard, Category 2 Serious eye damage or eye irritation, Category 2A Oxidising solids, Category 3 Skin corrosion or irritation, Category 2
	H411 Aquatic Chronic 2 Eye Irrit. 2A Ox. Sol. 3 Skin Irrit. 2 STOT RE 2	exposure Toxic to aquatic life with long lasting effects Hazardous to the aquatic environment, long term hazard, Category 2 Serious eye damage or eye irritation, Category 2A Oxidising solids, Category 3 Skin corrosion or irritation, Category 2 Specific target organ toxicity, repeated exposure, Category 2 Specific
	H411 Aquatic Chronic 2 Eye Irrit. 2A Ox. Sol. 3 Skin Irrit. 2 STOT	exposure Toxic to aquatic life with long lasting effects Hazardous to the aquatic environment, long term hazard, Category 2 Serious eye damage or eye irritation, Category 2A Oxidising solids, Category 3 Skin corrosion or irritation, Category 2
	H411 Aquatic Chronic 2 Eye Irrit. 2A Ox. Sol. 3 Skin Irrit. 2 STOT RE 2 STOT SE 3 R36/37/38	<ul> <li>exposure</li> <li>Toxic to aquatic life with long lasting effects</li> <li>Hazardous to the aquatic environment, long term hazard, Category 2</li> <li>Serious eye damage or eye irritation, Category 2A</li> <li>Oxidising solids, Category 3</li> <li>Skin corrosion or irritation, Category 2</li> <li>Specific target organ toxicity, repeated exposure, Category 2 Specific target organ toxicity, single exposure, Respiratory tract irritation, Category 3</li> <li>Irritating to eyes, respiratory system and skin.</li> </ul>
	H411 Aquatic Chronic 2 Eye Irrit. 2A Ox. Sol. 3 Skin Irrit. 2 STOT RE 2 STOT SE 3 R36/37/38 R8	<ul> <li>exposure</li> <li>Toxic to aquatic life with long lasting effects</li> <li>Hazardous to the aquatic environment, long term hazard, Category 2</li> <li>Serious eye damage or eye irritation, Category 2A</li> <li>Oxidising solids, Category 3</li> <li>Skin corrosion or irritation, Category 2</li> <li>Specific target organ toxicity, repeated exposure, Category 2 Specific target organ toxicity, single exposure, Respiratory tract irritation, Category 3</li> <li>Irritating to eyes, respiratory system and skin.</li> <li>Contact with combustible material may cause fire.</li> </ul>
	H411 Aquatic Chronic 2 Eye Irrit. 2A Ox. Sol. 3 Skin Irrit. 2 STOT RE 2 STOT SE 3 R36/37/38	<ul> <li>exposure</li> <li>Toxic to aquatic life with long lasting effects</li> <li>Hazardous to the aquatic environment, long term hazard, Category 2</li> <li>Serious eye damage or eye irritation, Category 2A</li> <li>Oxidising solids, Category 3</li> <li>Skin corrosion or irritation, Category 2</li> <li>Specific target organ toxicity, repeated exposure, Category 2 Specific target organ toxicity, single exposure, Respiratory tract irritation, Category 3</li> <li>Irritating to eyes, respiratory system and skin.</li> </ul>

#### **Further Information**

Copyright 2010 HiMedia Laboratories Pvt. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. HiMedia Laboratories, shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Page **8** of **8**