

## o-Toluidine reagent

Version number: GHS 1.0

Date of compilation: 2023-04-17

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **o-Toluidine reagent**  
Alternative number(s) R022

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Laboratory Chemicals, Analytical Purpose, Bio-chemical Analysis  
For InVitro Diagnostic Use

#### 1.3 Details of the supplier of the safety data sheet

HiMedia Laboratories Pvt. Ltd.  
Plot No. C40, Road No. 21Y, Wagle Industrial Area, MIDC  
Thane West Maharashtra 400604  
India

Telephone: +91 22 69034800, +91 22 61169797  
e-mail: info@himedialabs.com  
Website: www.himedialabs.com

e-mail (competent person) info@himedialabs.com (HiMedia Laboratories Pvt. Ltd)

#### 1.4 Emergency telephone number

Emergency information service This number is only available during the following office hours: Mon-Fri 09:00 AM - 05:00 PM

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.6	carcinogenicity	1B	Carc. 1B	H350

For full text of abbreviations: see SECTION 16.

#### 2.2 Label elements

Labelling

- Signal word danger

- Pictograms

GHS07, GHS08



- Hazard statements

H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H350 May cause cancer.

## o-Toluidine reagent

Version number: GHS 1.0

Date of compilation: 2023-04-17

### - Precautionary statements

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash ... thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P302+P352	IF ON SKIN: Wash with plenty of water/...
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container to industrial combustion plant.

- Hazardous ingredients for labelling Hydrochloric Acid, o-Toluidine

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS
Hydrochloric Acid	CAS No 7647-01-0  EC No 231-595-7  Index No 017-002-00-2	10 – < 25	Press. Gas C / H280 Acute Tox. 3 / H331 Skin Corr. 1A / H314
o-Toluidine	CAS No 95-53-4  EC No 202-429-0  Index No 612-091-00-X	< 1	Acute Tox. 3 / H301 Acute Tox. 3 / H331 Eye Irrit. 2 / H319 Carc. 1B / H350 Aquatic Acute 1 / H400

Name of substance	Specific Conc. Limits	M-Factors	ATE	Exposure route
Hydrochloric Acid	-	-	700 ppmV/4h	inhalation: gas
o-Toluidine	-	-	100 mg/kg 3 mg/l/4h	oral inhalation: vapour

## **o-Toluidine reagent**

Version number: GHS 1.0

Date of compilation: 2023-04-17

For full text of abbreviations: see SECTION 16.

### **SECTION 4: First aid measures**

#### **4.1 Description of first aid measures**

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### **4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

none

### **SECTION 5: Firefighting measures**

#### **5.1 Extinguishing media**

##### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

##### Unsuitable extinguishing media

Water jet

#### **5.2 Special hazards arising from the substance or mixture**

##### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### **5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## **o-Toluidine reagent**

Version number: GHS 1.0

Date of compilation: 2023-04-17

### **SECTION 6: Accidental release measures**

#### **6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### **6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### **6.3 Methods and material for containment and cleaning up**

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### **6.4 Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### **7.1 Precautions for safe handling**

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

#### **7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

- Specific designs for storage rooms or vessels

- Storage temperature

Recommended storage temperature: 10 – 30 °C

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### **7.3 Specific end use(s)**

See section 16 for a general overview.

## o-Toluidine reagent

Version number: GHS 1.0

Date of compilation: 2023-04-17

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)											
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
EU	hydrogen chloride	7647-01-0	IOELV	5	8	10	15				2000/39/EC
EU	o-toluidine	95-53-4	IOELV	0.1	0.5						2017/2398/EU
GB	hydrogen chloride	7647-01-0	WEL	1	2	5	8			ga	EH40/2005
GB	o-toluidine	95-53-4	WEL	0.1	0.5						EH40/2005

#### Notation

Ceiling-C	ceiling value is a limit value above which exposure should not occur
ga	as gases and aerosols
STEL	short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours
	time-weighted average (unless otherwise specified)

#### 8.2 Exposure controls

##### Appropriate engineering controls

General ventilation.

##### Individual protection measures (personal protective equipment)

##### Eye/face protection

Wear eye/face protection.

##### Skin protection

##### - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

##### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## o-Toluidine reagent

Version number: GHS 1.0

Date of compilation: 2023-04-17

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	Colourless clear solution
Odour	No data available
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

#### Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	not determined
-----------------	----------------

#### Density and/or relative density

Density	not determined
Relative vapour density	information on this property is not available

Particle characteristics	not relevant (liquid)
--------------------------	-----------------------

## o-Toluidine reagent

Version number: GHS 1.0

Date of compilation: 2023-04-17

### 9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidisers

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

##### Acute toxicity

Shall not be classified as acutely toxic.

##### - Acute toxicity estimate (ATE)

Inhalation: gas                      7,000 ppmV/4h

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Hydrochloric Acid	7647-01-0	inhalation: gas	700 ppmV/4h
o-Toluidine	95-53-4	oral	100 mg/kg
o-Toluidine	95-53-4	inhalation: vapour	3 mg/l/4h

##### Skin corrosion/irritation

Causes skin irritation.

## **o-Toluidine reagent**

Version number: GHS 1.0

Date of compilation: 2023-04-17

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### **11.2 Information on other hazards**

There is no additional information.

## **SECTION 12: Ecological information**

### **12.1 Toxicity**

Shall not be classified as hazardous to the aquatic environment.

### **12.2 Persistence and degradability**

Data are not available.

### **12.3 Bioaccumulative potential**

Data are not available.

### **12.4 Mobility in soil**

Data are not available.

### **12.5 Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

### **12.6 Endocrine disrupting properties**

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0,1\%$ .

### **12.7 Other adverse effects**

Data are not available.



## o-Toluidine reagent

Version number: GHS 1.0

Date of compilation: 2023-04-17

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagegings

It is a dangerous waste; only packagegings which are approved (e.g. acc. to ADR) may be used. Completely emptied packagegings can be recycled. Handle contaminated packagegings in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADR/RID	UN 1956
IMDG-Code	UN 1956
ICAO-TI	UN 1956

#### 14.2 UN proper shipping name

ADR/RID	COMPRESSED GAS, N.O.S.
IMDG-Code	COMPRESSED GAS, N.O.S.
ICAO-TI	Compressed gas, n.o.s.
Technical name (hazardous ingredients)	Hydrochloric Acid, o-Toluidine

#### 14.3 Transport hazard class(es)

ADR/RID	2 (2.2)
IMDG-Code	2.2
ICAO-TI	2.2

#### 14.4 Packing group

not assigned

#### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### Information for each of the UN Model Regulations

##### Agreement concerning the International Carriage of Dangerous Goods by Road (ADR) - Additional information

Classification code	1A
Danger label(s)	2.2



## o-Toluidine reagent

Version number: GHS 1.0

Date of compilation: 2023-04-17

Special provisions (SP)	274, 378, 392, 655, 662
Excepted quantities (EQ)	E1
Limited quantities (LQ)	120 ml
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	20
Emergency Action Code	2TE

### Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) - Additional information

Classification code	1A
Danger label(s)	2.2



Special provisions (SP)	274, 378, 392, 655, 662
Excepted quantities (EQ)	E1
Limited quantities (LQ)	120 ml
Transport category (TC)	3
Hazard identification No	20

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Marine pollutant	-
Danger label(s)	2.2



Special provisions (SP)	274, 378, 392
Excepted quantities (EQ)	E1
Limited quantities (LQ)	120 mL
EmS	F-C, S-V
Stowage category	A

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Danger label(s)	2.2
-----------------	-----



Special provisions (SP)	A202
Excepted quantities (EQ)	E1

## o-Toluidine reagent

Version number: GHS 1.0

Date of compilation: 2023-04-17

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

###### Deco-Paint Directive

VOC content	10.1 %
-------------	--------

###### Industrial Emissions Directive (IED)

VOC content	10.1 %
-------------	--------

###### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

###### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

###### Water Framework Directive (WFD)

List of pollutants (WFD)			
Name of substance	CAS No	Listed in	Remarks
o-Toluidine		a)	

###### Legend

A) Indicative list of the main pollutants

###### Regulation on persistent organic pollutants (POP)

None of the ingredients are listed.

###### National inventories

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed
US	TSCA	all ingredients are listed

###### Legend

REACH Reg. REACH registered substances  
TSCA Toxic Substance Control Act

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## o-Toluidine reagent

Version number: GHS 1.0

Date of compilation: 2023-04-17

### SECTION 16: Other information

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2017/2398/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million

## o-Toluidine reagent

Version number: GHS 1.0

Date of compilation: 2023-04-17

Abbr.	Descriptions of used abbreviations
Press. Gas	Gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.  
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H280	Contains gas under pressure; may explode if heated.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H350	May cause cancer.
H400	Very toxic to aquatic life.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.