

**1 Identification of the substances/ mixture and of the company/ undertaking****1.1 Product Identifiers**

Product Number TS1005  
Product Name Murashige & Skoog Plant Salt Mixture  
w/o CaCl<sub>2</sub>

REACH Registration Number Reach registration number is not available for this mixture. According to REACH regulation EC 1907/2006 this product is exempted from registration. The annual tonnage does not require a REACH registration or it is envisaged for a later registration deadline.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**1.2.1** Relevant identified uses Laboratory chemicals, Manufacture of substances

**1.2.2** Uses advised against No data available

**1.3 Details of the supplier of the safety data sheet**

Produced by HiMedia Laboratories Private Limited  
Address 23, Vadhani Industrial Estate, LBS Marg, Ghatkopar (W), Mumbai - 400 086  
India  
Tel. No. +91-22-2500 0970, +91-22-2500 1607 Fax No.  
Mail Id [ptc@himedialabs.com](mailto:ptc@himedialabs.com) Website : [www.himedialabs.com](http://www.himedialabs.com)

**1.4 Emergency Tel. No.**

Emergency Tel. No. Please contact the regional HiMedia representation in your country

**2 Hazards Identification****2.1 Classification of the substance or mixture**

**CLP Classification-Regulation (EC) No. 1272/2008[EU-GHS/CLP]**

Oxidising solids, (Category 3), H272

Skin corrosion or irritation, (Category 2), H315

Serious eye damage or eye irritation, (Category 2A), H319

Specific target organ toxicity, single exposure, Respiratory tract irritation, (Category 3), H335

Hazardous to the aquatic environment, long term hazard, (Category 3), H412

For the full text of the H-Statements mentioned in this Section, See Section 16

**2.2 Label elements**

**Labeling according to Regulation (EC) No.1272/2008**



Pictogram

Signal word Warning

Hazard Statement(s)

H272	May intensify fire; oxidizer
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects

Precautionary Statement(s)

P210	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370 + P378	In case of fire: Use suitable extinguishing media for extinction.

### 2.3 Other Hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 3 Composition/Information On Ingredients

### 3.2 Mixture

Component	Classification	Concentration
Potassium nitrate		
CAS No. : 7757-79-1 EC No. : 231-818-8	<b>As Per EC Regulation 1272/2008</b> Ox. Sol. 3 H272	>=45 - <=50%

Component	Classification	Concentration
Ammonium nitrate		
CAS No. : 6484-52-2 EC No. : 229-347-8	<b>As Per EC Regulation 1272/2008</b> Ox. Sol. 3; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3 H272; H315; H319; H335	>=40 - <=45%

Component	Classification	Concentration
Manganese sulphate		
CAS No. : 10034-96-5 EC No. : 232-089-9 Index-No : 025-003-00-4	<b>As Per EC Regulation 1272/2008</b> STOT RE 2; Aquatic Chronic 2 H373; H411	>=3 - <=6%

Component	Classification	Concentration
Boric acid		
CAS No. : 10043-35-3 EC No. : 233-139-2 Index-No : 005-007-00-2	<b>As Per EC Regulation 1272/2008</b> Repr.Tox. 1A, 1B H360	>=0.1 - <=0.3%

Component	Classification	Concentration
Potassium iodide		
CAS No. : 7681-11-0 EC No. : 231-659-4	<b>As Per EC Regulation 1272/2008</b> Acute Tox.oral 4; Skin Irrit. 2; Eye Irrit. 2A H302; H315; H319	>=0.02 - <=0.04%

Component	Classification	Concentration
Zinc sulphate, heptahydrate		
CAS No. : 7446-20-0 EC No. : 231-793-3 Index-No : 030-006-00-9	<b>As Per EC Regulation 1272/2008</b> Acute Tox.oral 4; Eye Dam. 1; Aquatic Chronic 1 H302; H318; H410	>=0.1 - <=0.3%

For the full text of the H-Statements and classification mentioned in this Section, see Section 16

## 4 First Aid Measures

### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### **If inhaled**

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. Consult a physician.

#### **In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

#### **In case of eye contact**

Rinse immediately with plenty of water for at least 15 minutes. Consult a physician.

#### **If swallowed**

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labeling (see section 2.2) and/or in section 11.

### 4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically.

## 5 Fire Fighting Measures

## **5.1 Extinguishing media**

### ***Suitable extinguishing media***

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

### ***Unsuitable extinguishing media***

No data available.

## **5.2 Special hazards arising from the substance or mixture**

Magnesium oxides, Sulphur oxides, Sodium oxides, Iron oxides, Calcium Oxide, Cobalt oxides, Copper oxides, Manganese oxides,, Molybdenum oxides, Oxides of Phosphorus, Potassium oxides, Zinc oxides

## **5.3 Precautions for fire-fighters**

Cool closed containers exposed to fire with water spray.

## **5.4 Further information**

Wear self-contained breathing apparatus for firefighting if necessary.

---

## **6 Accidental Release Measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personnel protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into environment must be avoided.

### **6.3 Methods and materials for containment and cleaning up**

Keep in suitable, closed containers for disposal. Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

### **6.4 Reference to other sections**

For disposal see Section 13.

---

## **7 Handling and Storage**

### **7.1 Precautions for safe handling**

Avoid formation of dust and aerosols. Wear protective gloves and eye/face protection. Use only in well ventilated areas. Keep away from heat, sparks and open flame.

### **7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Storage class (TRGS 510): Oxidizing Solids

***Recommended Storage Temperature : 2 - 8°C***

### **7.3 Specific end uses**

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

---

## **8 Exposure Controls/Personal Protection**

### **8.1 Control parameters**

### **8.2 Exposure controls**

***Appropriate engineering controls***

Handle in accordance to general industrial hygiene and safety practice. Wash hands before breaks, immediately after handling the products and at the end of workday.

#### **Personal protective equipment**

##### **Eye/face protection**

Safety glasses with side-shields conforming to EN 166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). Have eye-washing facilities readily available where eye contact can occur.

##### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

##### **Body protection**

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

##### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

##### **Environment exposure controls**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **9 Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

Appearance	White to off-white, homogenous powder
Odour	No data available
Odour Threshold	No data available
pH	3.5 - 4.5
Melting/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	No data available
Upper/lower flammability or explosive limits	No data available
Evaporation rate	No data available
Flammability (Solid, gas)	No data available
Vapour pressure	No data available
Relative density	No data available
Water Solubility	Soluble in water
Autoignition Temperature	No data available
Decomposition Temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Vapour density	No data available
Thermal decomposition	No data available

## 9.2 Other safety information

No data available

---

## 10 Stability and Reactivity

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

No data available

### 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

No data available

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions - Nitrogen oxides(NOx), Sulphur oxides, Oxides of phosphorus,. Potassium oxides, Magnesium oxide, Cobalt/cobalt oxides, Calcium oxide, Copper oxides

---

## 11 Toxicological Information

### 11.1 Information on toxicological effects

#### ***Acute toxicity***

No data available

Remarks : No data available

No data available

#### ***Skin corrosion/irritation***

No data available

#### ***Serious eye damage/eye irritation***

No data available

#### ***Respiratory or skin sensitisation***

No data available

#### ***Germ cell mutagenicity***

No data available

#### ***Carcinogenicity***

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### ***Reproductive toxicity***

No data available

#### ***Specific target organ toxicity - repeated exposure***

No data available

#### ***Aspiration hazard***

No data available

#### ***Additional Information***

RTECS : Not Applicable

---

## **12 Ecological Information**

### **12.1 Toxicity**

No data available

### **12.2 Persistence and degradability**

No data available

### **12.3 Bioaccumulative potential**

No data available

### **12.4 Mobility in soil**

No data available

### **12.5 PBT and vPvB assessment**

This preparation contains no substance considered to be persistent, bioaccumulating or toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### **12.6 Other adverse effects**

---

## **13 Disposal Considerations**

### **13.1 Waste treatments methods**

#### **Product**

Dispose of as unused product.

### **13.2 Contaminated packaging**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licenced professional waste disposal service to dispose off this material.

---

## **14 Transport Information**

### **14.1 UN-No**

ADNR : 1477 ADR : 1477 IATA\_C : 1477 IATA\_P : 1477 IMDG : 1477 RID : 1477

### **14.2 UN proper shipping name**

ADNR : Nitrates, inorganic, n.o.s.  
ADR : Nitrates, inorganic, n.o.s.  
IATA\_C : Nitrates, inorganic, n.o.s.  
IATA\_P : Nitrates, inorganic, n.o.s.  
IMDG : Nitrates, inorganic, n.o.s.  
RID : Nitrates, inorganic, n.o.s.

### **14.3 Transport hazard class(es)**

ADNR : 5.1 ADR : 5.1 IATA\_C : 5.1 IATA\_P : 5.1 IMDG : 5.1 RID : 5.1

### **14.4 Packaging group**

ADNR : II ADR : II IATA\_C : II IATA\_P : II IMDG : II RID : II

### **14.5 Environmental hazards**

ADR : No IMDG : Marine Pollutant : No IATA\_C : No

### **14.6 Special precautions for use**

No data available

## 15 Regulatory Information

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

### 15.1 Safety health and environment regulations/legislation specific for the substance or mixture

### 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

---

## 16 Other information

H272	May intensify fire; oxidizer
H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H360	May damage fertility or the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
Acute Tox. oral 4	Acute toxicity, oral, Category 4
Aquatic Chronic 1	Hazardous to the aquatic environment, long term hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, long term hazard, Category 2
Eye Dam. 1	Serious eye damage or eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage or eye irritation, Category 2A
Ox. Sol. 3	Oxidising solids, Category 3
Repr.Tox. 1A, 1B	Reproductive toxicity, Category 1A, 1B
Skin Irrit. 2	Skin corrosion or irritation, Category 2
STOT RE 2	Specific target organ toxicity, repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity, single exposure, Respiratory tract irritation, Category 3

### Further Information

Copyright 2010 HiMedia Laboratories Pvt. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. HiMedia Laboratories, shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.